Alu-Cab™

ULTIMATE OVERLAND PRODUCTS

FITMENT INSTRUCTIONS

INEOS GRENADIER - FENDER PLATES

DISCLAIMER

Preliminary information

All rights reserved. No part of this document may be reproduced, translated, stored in a retrieval system. Or transmitted, in any form or by any means, electronic., mechanical, photocopying, recording or otherwise, without prior written permission of the owner.

Review all instruction information carefully before installation.

Any damages, direct or indirect to the installer and/or property due to incorrect installation of any parts are the responsibility of the installer.

Due to the various application and firment options available, the responsibility lies with the user to ensure all mounting points are secure and tight before every trip. If unsure, consult with your Distributor regarding the operations of our products.

Users are advised to be mindful of the load they are carrying and drive in accordance with road conditions.

Service Enquiries email
queries@alu-cab.com



Installation Instructions

The tables below show the equipment, i.e. tools and fasteners required to install the **INEOS GRENADIER - FENDER PLATES**

Tools & Items Required
Drill
Drill Bit - 5mm
Rivet Gun
Masking Tape
Clean Dry Cloth

Fasteners Supplied	Qty
Black Blind Rivet	16
Gasket - ID-4.5mm OD-8mm	24




Please be sure to lay out all parts provided on a table or flat surface in order to check that all required parts are accounted for and prevent potential frustration at a later stage.

Installation Instructions

STEP 1

Open the bonnet of the vehicle*.

*Please note the orange vinyl is specific to Alu-Cab fleet vehicle, it is not included with the fender plates.



Installation Instructions

STEP 2

Ensure that the front fender surface is clean and free from any residue.



Installation Instructions

STEP 3

Dry fit the fender plate onto the fender, to validate the alignment with the front and outer side edges. Use the diagonal rubber strip to position the fender plate against. Align the fender plate with the front of the fender.



Installation Instructions

STEP 4


Secure the fender plate to the fender using masking tape. This will ensure that the fender plate remains in place. Additional downward pressure can be applied during the drilling process, to further prevent any movement of the fender plate.



Installation Instructions

STEP 5

Use the fender plate holes as a template to drill out the eight (8) corresponding holes in the fender. Place a rivet in the newly drilled hole, to further prevent any movement of the fender plate.









Installation Instructions

STEP 6

Remove the fender and clean any burr from the drilled holes. Apply Anti-Rust to the exposed metal of the newly drilled holes.



Installation Instructions

STEP 7

Flip the fender plate upside down, carefully insert the rivets, that the fender plate rests on the rivets. Clean any burr from the fender plate.






Installation Instructions

STEP 8

With all the rivets inserted in the upside down position, install the gasket over the rivet head. The gasket will retain the rivet during further handling. Take caution when installing the gasket, as they are prone to tearing.





Installation Instructions

STEP 9


Refit the fender plate, rivets and gaskets to the vehicle fender, aligning the rivets with the drilled holes.



Installation Instructions

STEP 10

Fix the fender plate to the fender by popping the rivets into the fender. Use a fair amount of downward force when popping the rivets, to ensure flush fixing of the fender plate.



Installation Instructions

STEP 11

Repeat Step 2 to Step 10 for the other side fender.
Clean the working area and fender from any debris, close the bonnet and enjoy the new fender plates.





DISCLAIMER

All rights reserved. No part of this website may be reproduced, translated, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the owner.

Review all instructions information carefully before installation.

Any damages, direct or incidental to the installer and/or property due to incorrect installation of any parts are the responsibility of the installer. Due to the various applications and fitment options available, the responsibility lies with the user to ensure all mounting points are secure and tight before every trip.

If unsure, consult with your Distributor regarding the operations of our products.

Users are advised to be mindful of the load they are carrying and drive in accordance with road conditions.

WARNING

Always wear appropriate PPE (Personal protection equipment) when fitting our products. Although the mounting kit is designed to be DIY, if you have any doubts or concerns, contact an accredited fitment centre to carry out the work. Alu-Cab will not be liable for any injury to persons, and/or damage to products and/or vehicles.

While Alu-Cab Holdings takes reasonable measures to ensure that the contents of this Website are accurate and complete, Alu-Cab Holdings makes no representations or warranties, whether express or implied, as to the quality, timeliness, operation, integrity, availability or functionality of this Website or as to the accuracy, completeness or reliability of any information on this Website. Alu-Cab Holdings reserves the right to make changes, corrections and/or improvements to the information and to the products and programs described in such information, at any time without notice.

Alu-Cab Holdings will use reasonable endeavours to maintain the availability of the Website, except during scheduled maintenance periods, and reserves the right to discontinue providing the Website or the service or any part thereof with or without notice to you. Any person who accesses this Website or relies on this Website or on the information contained in this Website does so at his or her own risk.

Occasionally, at our discretion, we may include or offer third-party products or services on our website. These third-party sites have separate and independent privacy policies. We therefore have no responsibility or liability for the content and activities of these linked sites. Nonetheless, we seek to protect the integrity of our site and welcome any feedback about these sites.